







District:

County:

Route:

Direction:

Jackson

NC 107

North



Start: NC 116

End: US 23 Business


111907_12-29 [14 JAC 107 NORTH WE]

Type of Line: White Edge Material: Polyurea Bead: Standard Surface: Asphalt

Run RL Avg: 421 Run Date: 11/19/2007 Passing

=LTL-X Verified

Average Station RL



ME	Avg	RL		MP	Avg R	L	MP Avg RL	MP	Avg RL	MP Avg RL
0.1	324	3		1.1	499	3				
0.2	417	3		1.2	512	3				
0.3	399	3		1.3	440	3				
0.4	353	3		1.4	430	3,9				
0.9	437	3		1.5	366	3				
0.6	326	3		1.6	409	3				
0.7	346	3	1	1.7	409		387 (5.38%)			
0.8	498	3		1.8	497	3				
0.9	499	3		1.9	503	1,3				
1.0	436	3								

I-invalid, 1-Thermo, 2-Epoxy, 3-Polyurea, 4-Paint, 5-Hot Spray, 6-Poor Tracing, 7-Tracking, 8-Broken Pymet, 9-Dirt/Deb/H2O, 10-Adhesion, 11-Tape



Service Life

	Category	Minimum Standard	Initial Spec Value	Installed Thickness	Estimated Service Life	Estimated Service Life
	-	(mcd/lx/m2)	(mcd/lx/m2)	(mils)	(months)	(years)
100	White Edge Thermoplastic	150	375	90	100	8.3
March 1994	White Middle Thermoplastic	150	375	120	76	6.3
OLANSSIE .	Yellow Edge Thermoplastic	100	250	90	105	8.75
A STATE OF	Yellow Middle Thermoplastic	100	250	90	65	5.4
	White Paint	100	220	15	31	2.6
	Yellow Paint	65	200	15	26	2.2

Using an AADT of 10,000 vehicles/day







What we look for during our audit:

Check length, retroreflectivity, bead application, bonding, color, workmanship

Daytime and nighttime






What we have seen ...

A lot of good, some bad, Overall Great
 Work!!

We have seen a new color- tan cl paint?







Pavement Marking Incentive Pay Update

One option could be to average the last 3 years of production and make that our baseline. (road oil method)

 Remember, any changes, ideas, proposals, etc. must be approved by the Pavement Marking Incentive Pay committee

